



GRANITE QUARRIER - MANUFACTURER - 100% EXPORTER



Natural Stone Collection

Granite - Marble - Quarry Blocks

**SHIVAM
STONEX
EXCLUSIVE
SLABS
GALLERY**

**More than
70 selections of
World's top trending
natural stone
products,
all bookmatched
and
produced under
high quality
standards**



5 MANUFACTURING
UNITS



60000 + SQUARE METER
PRODUCTION PER
MONTH

*World class manufacturing
facility with Strict quality
Standards.*



EXTRACTING AND
EXPORTING
GRANITE FROM
OUR OWN
QUARRIES



Specification

Block Size

**60*180*60 cm & up, 120*240*120 cm & up,
150*270*150 cm & up and can customize according to customer preference.**

Gang saw Slab

**280*160 cm, 280*220 cm, 340*160 cm, 340*220 cm,
270*160 cm**

Random Slab

**60*180 cm, 90*240cm, 90*180cm and up, 120*240 cm
& up and customizable.**

Cut to size

**30*30 cm, 30*60 cm, 40*40 cm, 40*60 cm, 60*60 cm,
60*90 cm, 70*120 cm, 70*130 cm, 70*140 cm (Size can be Customize).**

Tiles

**305*305*10 mm, 305*610*10 mm, 457*457*12mm.
customizable**

Thickness

10mm, 12mm, 15mm, 16mm, 18mm, 20mm, 30mm, 40mm.


Finishes

**Polished, Honed, Brushed, Leather, Textured, Bush
hammered, Rough, Flamed.**

Phone- +91-8005980137 / 9887636940

Email - sales@shivamstonex.com

website- www.shivamstonex.com





BLANCO PLATINO

Crystal white medium-grained compact and homogeneous granite. It shows dark grey quartz with coarse grained size. Extracted from our own quarries in India

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,660 Kg/m³
- Compressive strength: 147 MPa
- Bending strength: 11.88 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



CRISTAL NEGRO

Crystal white flakes with Black Fine-grained compact and homogeneous granite. It shows dark grey quartz with coarse grained size. Extracted from our own quarries in India

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,580 Kg/m³
- Compressive strength: 147 MPa
- Bending strength: 15.88 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



SINO WHITE

Homogeneous white granite with creamy tones.
Versatile material of medium grain size.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,660 Kg/m³
- Compressive strength: 145 MPa
- Bending strength: 11.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



CRISTAL AMARILLO

Yellowish medum-grained with a heterogeneous tone. During the polishing process, an epoxy resin is applied to the surface of the slab to fill in any natural pits, small cracks or fissures that may exist in the stone. This does not affect the durability, maintenance or beauty of the slab.

FINISHES

- Honed
- Polished
- Shot

APLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,660 Kg/m3
- Compressive strenght: 140 MPa
- Bending strenght: 15.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



PINK ROSA

Quite popular medium-grained light pink granite with black and white background.
Adaptable to any style. Own Quarry

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,610 Kg/m³
- Compressive strength: 141 MPa
- Bending strength: 14.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



ROSA CHIMA

Quite popular medium-grained light pink granite with Grey and white background.
Adaptable to any style. Own Quarry

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,610 Kg/m³
- Compressive strength: 141 MPa
- Bending strength: 14.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940

Email - sales@shivamstonex.com

website- www.shivamstonex.com



COPPER SILK

Copper Colour Course granied Beautiful Granite , with brownish flakes

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,590 Kg/m³
- Compressive strength: 140 MPa
- Bending strength: 11.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940

Email - sales@shivamstonex.com

website- www.shivamstonex.com



CLASICO RED

Red Colour Medium granied with black crystals Beautiful Granite , After applying expoxy and polishing this granite look beautiful. Directly exporting Blocks from Quarry.

FINISHES

- Honed
- Polished
- Shot

APLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,585 Kg/m³
- Compressive strenght: 140.9 MPa
- Bending strenght: 12.50 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



LAKHA RED

Red Colour Fine granied Beautiful Granite , After applying expoxy and polishing this granite look beautiful. Directly exporting Blocks from Quarry.

FINISHES

- Honed
- Polished
- Shot

APLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,595 Kg/m³
- Compressive strenght: 139 MPa
- Bending strenght: 12.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



CHERRY BROWN

Extracted from own Quarry, this granite comes with brown colour appearance and Black and tiny dark brown flakes on the surface.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,575 Kg/m³
- Compressive strength: 142MPa
- Bending strength: 14.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



DESERT BROWN

Brownish homogeneous granite with small to medium grain size. Relatively compact and homogeneous background.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,585 Kg/m³
- Compressive strength: 152MPa
- Bending strength: 14.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



AUTUMN GREY

Extracted From our own quarry in North India , this granite has greyish surface densely filled with black particles.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,575 Kg/m³
- Compressive strength: 135MPa
- Bending strength: 11.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



DESERT GREEN

This Granite has dark to light coloured patches extracted from quarry in North India

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,575 Kg/m³
- Compressive strength: 135MPa
- Bending strength: 11.78 MPa
- Water absorption: 0.10%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



MOUNTAIN GREEN

This Granite has dark to light coloured patches extracted from quarry in North India adaptive in all style.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,575 Kg/m³
- Compressive strength: 138MPa
- Bending strength: 12.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



ROYAL GREEN

This Granite is quarried in India and feature grey and Green spot scattered over the surface with pinkish brown base.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,575 Kg/m³
- Compressive strength: 138MPa
- Bending strength: 12.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



Z - BROWN

Fine Grain brown colour granite quarried in North India, This granite is available with treated or non treated.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,665 Kg/m³
- Compressive strength: 142MPa
- Bending strength: 13.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



HIMALAYAN RED

Light red colour Granite quarried from the north India has beautiful Red and black spots spread on the surface with homogenous appearance.

FINISHES

- Honed
- Polished
- Shot


APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,670 Kg/m³
- Compressive strength: 141MPa
- Bending strength: 12.78 MPa
- Water absorption: 0.11%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



ALASKA WHITE

Alaska white granite offers rich light and modern feeling , it is a light coloured stone in which dark colour minerals dispersed throughout the surface.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,510 Kg/m³
- Compressive strength: 125MPa
- Bending strength: 10.78 MPa
- Water absorption: 0.15%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



ALASKA GOLD

Alaska gold granite offers rich light and modern feeling , it is a light coloured stone in which dark colour minerals dispersed throughout the surface.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,510 Kg/m³
- Compressive strength: 125MPa
- Bending strength: 10.78 MPa
- Water absorption: 0.15%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com



ALASKA GOLD

Alaska Black granite offers rich light and modern feeling , it is a dark coloured stone in which light colour minerals dispersed throughout the surface.

FINISHES

- Honed
- Polished
- Shot

APPLICATIONS

- Interior
- Exterior
- Projects

TECHNICAL SPECIFICATION

- Specific weight: 2,510 Kg/m³
- Compressive strength: 125MPa
- Bending strength: 10.78 MPa
- Water absorption: 0.15%
- Origin: India

Phone- +91-8005980137 / 9887636940
Email - sales@shivamstonex.com
website- www.shivamstonex.com

COME VISIT US

Office: SHIVAM STONEX 12- Rajendra nagar near bus stand, Ahore Dist-
Jalore (Rajasthan) India pin- 307029

Unit : Riico Industrial Area, Jalore Bhinmal road Jalore, Jalore (Rajasthan) India
Pin- 343001

Whatsapp: 8005980137

Phone: +91-8005980137 / 9887636940

Email: sales@shivamstonex.com

Website: www.shivamstonex.com

